



126 Aluminium shelving for cold rooms

- 127 Complete shelving
- 128 Additionnal linear shelving
- 128 Angle shelving
- 129 Complete additional shelf - Ladders - Hanging
- 130 Mobile shelving

131 Stainless steel shelving

- 131 Linear and corner stainless steel shelving
- 132 Stainless steel shelf, with welded square tubes
- 132 Examples of combinations



SHELVING

Aluminium shelving



Stainless steel shelving



SCAN ME and download
all the technical datasheets of the range!

Modular storage shelving with aluminium body and polypropylene shelves

- Storage shelving especially conceived for storage of food in **cold rooms** (positive and negative cold)
- Resistant to acids, free of bacterias, completely dismantable and washable in dishwashers
- Possible height on adjustable jacks: 1780 mm / 1810 mm
- Swivelling casters optional (page 129)



- High load capacity: 230 kg/shelf
- Ultra modulable
- Quick assembly



ALU corrosion proof, anodised aluminium body.



High robustness and High load capacity. Maximum Load for shelving on feet: 230 Kg distributed per shelf.




Polypropylene shelves for food contact, color Blue RAL 6034. Removable and washable in dishwasher.



Easy assembling by 1 person without any tool. Cardboard packaging that holds the shelves in place and facilitates assembly.



Perforated shelves to allow a perfect circulation of cold air and for the storage of food in cold rooms.



Modular without limit to adapt to all dimensional constraints. Possibility to adapt an angle shelf without dismantling the main shelf. Adjustable levels every 150 mm on 11 levels.



CARDBOARD PACKAGING

More environmentally friendly and more practical.

- The cardboard packaging is fully recyclable. It protects components on your worksites and saves you time during assembly.
- 2 simple steps:
 - 1/ place the **still-packed** levels on the shelves
 - 2/ remove the packaging, the shelves are in place



Our video assembly tutorial



RACK CONFIGURATION TOOL

To optimize the layout and design of your shelving in just a few clicks. Ask your sales representative for details.

Complete standard shelving H 1780 / 1810 mm with aluminium body and polypropylene shelves



THICKNESS OF THE ALUMINIUM LADDERS = 32 mm



	HEIGHT 1780 / 1810		DEPTH 400		DEPTH 500	
	Length outside mm	Length of the selves of complete shelving	3 levels	4 levels	3 levels	4 levels
			Ref.	Ref.	Ref.	Ref.
2 TERMINAL LADDERS	594	531	42499.01	42699.01	43499.01	43699.01
	683	620	42500.01	42700.01	43500.01	43700.01
	772	709	42502.01	42702.01	43502.01	43702.01
	857	794	42504.01	42704.01	43504.01	43704.01
	946	883	42506.01	42706.01	43506.01	43706.01
	1035	972	42508.01	42708.01	43508.01	43708.01
	1124	1061	42510.01	42710.01	43510.01	43710.01
	1209	1146	42512.01	42712.01	43512.01	43712.01
	1298	1235	42514.01	42714.01	43514.01	43714.01
	1387	1324	42516.01	42716.01	43516.01	43716.01
2 TERMINAL LADDERS + 1 CENTRAL	1476	1413	42518.01	42718.01	43518.01	43718.01
	1561	1498	42520.01	42720.01	43520.01	43720.01
	1681	794 + 794	42522.01	42722.01	43522.01	43722.01
	1774	972 + 709	42524.01	42724.01	43524.01	43724.01
	1859	972 + 794	42526.01	42726.01	43526.01	43726.01
	1948	972 + 883	42528.01	42728.01	43528.01	43728.01
	2037	972 + 972	42530.01	42730.01	43530.01	43730.01
	2126	1061 + 972	42532.01	42732.01	43532.01	43732.01
	2211	1146 + 972	42534.01	42734.01	43534.01	43734.01
	2300	1146 + 1061	42536.01	42736.01	43536.01	43736.01
2 TERMINAL LADDERS + 2 CENTRAL	2385	1146 + 1146	42538.01	42738.01	43538.01	43738.01
	2474	1146 + 1235	42540.01	42740.01	43540.01	43740.01
	2563	1324 + 1146	42542.01	42742.01	43542.01	43742.01
	2652	1324 + 1235	42544.01	42744.01	43544.01	43744.01
	2741	1324 + 1324	42546.01	42746.01	43546.01	43746.01
	2826	1235 + 1498	42548.01	42748.01	43548.01	43748.01
	2915	1324 + 1498	42550.01	42750.01	43550.01	43750.01
	3004	1413 + 1498	42552.01	42752.01	43552.01	43752.01
	3089	1498 + 1498	42554.01	42754.01	43554.01	43754.01
	3214	1146 + 972 + 972	42556.01	42756.01	43556.01	43756.01
2 TERMINAL LADDERS + 3 CENTRAL	3303	1235 + 972 + 972	42558.01	42758.01	43558.01	43758.01
	3392	1324 + 972 + 972	42560.01	42760.01	43560.01	43760.01
	3481	1324 + 972 + 1061	42562.01	42762.01	43562.01	43762.01
	3570	1324 + 1061 + 1061	42564.01	42764.01	43564.01	43764.01
	3651	1235 + 1146 + 1146	42566.01	42766.01	43566.01	43766.01
	3740	1146 + 1235 + 1235	42568.01	42768.01	43568.01	43768.01
	3829	1235 + 1235 + 1235	42570.01	42770.01	43570.01	43770.01
	3918	1235 + 1235 + 1324	42572.01	42772.01	43572.01	43772.01
	4007	1324 + 1235 + 1324	42574.01	42774.01	43574.01	43774.01
	4096	1324 + 1324 + 1324	42576.01	42776.01	43576.01	43776.01
2 TERMINAL LADDERS + 4 CENTRAL	4181	1235 + 1324 + 1498	42578.01	42778.01	43578.01	43778.01
	4270	1324 + 1324 + 1498	42580.01	42780.01	43580.01	43780.01
	4355	1235 + 1498 + 1498	42582.01	42782.01	43582.01	43782.01
	4444	1324 + 1498 + 1498	42584.01	42784.01	43584.01	43784.01
	4568	1146 + 1061 + 1061 + 1146	42586.01	42786.01	43586.01	43786.01
	4653	1146 + 1061 + 1146 + 1146	42588.01	42788.01	43588.01	43788.01
	4742	1146 + 1061 + 1146 + 1235	42590.01	42790.01	43590.01	43790.01
	4827	1146 + 1146 + 1146 + 1235	42592.01	42792.01	43592.01	43792.01
	4916	1146 + 1146 + 1235 + 1235	42594.01	42794.01	43594.01	43794.01
	5005	1146 + 1235 + 1235 + 1235	42596.01	42796.01	43596.01	43796.01

Additional linear shelving H 1780 / 1810 mm

- Composed of 3 or 4 levels and 1 central ladder
- Supplied with a central ladder allowing levels to be hooked on both sides thanks to the included double hook peg



- Terminal ladder = simple ladder = hanging of the shelves on one side only
- Central ladder = double ladder = hanging of the shelves from both sides of the ladder

THICKNESS OF THE ALUMINIUM LADDERS = 32 mm



2 TERMINAL LADDERS	HEIGHT 1780 / 1810		DEPTH 400		DEPTH 500	
	Length outside mm	Length of the shelves of additional shelving	3 levels Ref.	4 levels Ref.	3 levels Ref.	4 levels Ref.
	563	531	42678.01	42878.01	43678.01	43878.01
652	620	42680.01	42880.01	43680.01	43880.01	
741	709	42682.01	42882.01	43682.01	43882.01	
826	794	42684.01	42884.01	43684.01	43884.01	
915	883	42686.01	42886.01	43686.01	43886.01	
1004	972	42688.01	42888.01	43688.01	43888.01	
1093	1061	42690.01	42890.01	43690.01	43890.01	
1178	1146	42692.01	42892.01	43692.01	43892.01	
1267	1235	42694.01	42894.01	43694.01	43894.01	
1356	1324	42696.01	42896.01	43696.01	43896.01	
1445	1413	42900.01	42920.01	43900.01	43920.01	
1530	1498	42902.01	42922.01	43902.01	43922.01	

Angle shelving

Do you want to add a corner bay to your linear shelving? Nothing could be simpler.




1. In the table on page 127, choose the shelving unit corresponding to the corner return you require: length, depth (400 or 500 mm) and number of levels (3 or 4).
2. Note the reference of the shelving unit and simply add an "R" in front of it. This is the reference for your corner return.
3. Take the recommended retail price of the corresponding linear shelving, then subtract the discount related to the depth and number of levels, shown below:

Depth	400 mm		500 mm	
	3 levels	4 levels	3 levels	4 levels
Discount on the price shown on page 127	-45 €	-30 €	-44 €	-28 €



OUR PRACTICAL TIPS FOR TAKING DIMENSIONS

- The skirtings of wall cold room panels are generally rounded, we recommend you keep 60 mm safety when taking dimensions.
- For a better stability, the feet of the ladders must lay on a flat floor.
- It is also necessary to keep 100 mm from every side of the doors for a better accessibility.
- When you take measurements and according to the chosen layout, do not forget to subtract the width of the shelves.



You wish another combination which is not in our standard shelving board ?
Compose yourself your own shelving !

AS A KIT

Complete additional shelf - ONLY 1

- Shelves and spar aluminium body – without hanging pawns





	DEPTH 400	DEPTH 500
Length mm	Ref.	Ref.
531	46616.01	46716.01
620	46618.01	46718.01
709	46620.01	46720.01
794	46622.01	46722.01
883	46623.01	46723.01
972	46624.01	46724.01
1061	46625.01	46725.01
1146	46626.01	46726.01
1235	46627.01	46727.01
1324	46628.01	46728.01
1413	46629.01	46729.01
1498	46630.01	46730.01

Ladders

- Delivered with single hanging pawns for terminal ladders and double hanging pawns for the central ladders

On adjustable jacks

LADDER 4 LEVELS		DEPTH 400	DEPTH 500
	Height mm	Ref.	Ref.
Terminal	1780/1810	46664.01	46764.01
Central	1780/1810	46674.01	46774.01



On casters

- 2 swivelling polyamide casters Ø 125 mm which 1 with break

LADDER 4 LEVELS		DEPTH 400	DEPTH 500
	Fixed height mm	Ref.	Ref.
Terminal	1800	46664.01-3	46764.01-3
Central	1800	46674.01-3	46774.01-3



Hanging

Pair of hanging hooks for the return of angle

	DEPTH 400	DEPTH 500
Designation	Ref.	Ref.
Pair of angle hooks for 1 shelf (1 pair)	46932.02	46942.02




Hook peg for standard shelving

Designation	Ref.
Single hook peg for terminal ladder	41916.01
Double hook peg for central ladder allowing hanging on both side	41917.01



Mobile shelving with aluminium body and polypropylene shelves

- One element is fixed at each external side allowing to hold 2 guide bars on the top
- Possibility to insert from 2 to 7 mobile shelvings from 2800 mm up to 6000 mm for the complete shelving (do not forget to forecast an access corridor with a minimum 800 mm width)



i Before validate your order, we kindly ask you to send us a detail plan of the room with location of the doors as well as evaporators and the available height below them.

+ **IDEAL FOR NON LEVELLED FLOORS**
 These shelvings drive by the top rails, there is no need to put rails on the floor like others. This allow the set up of this mobile solution on non levelled floors.

HYGIENE WARRANTED
 These shelvings warranty an optimal cleaning of the floor of the cold rooms.

Fix - Height 2292 mm

- Set of 2 shelving on adjustable jacks
- 4 levels – depth 500 mm
- Set of 2 guide bars L 6000 mm

Length outside mm	Length of the shelves of complete shelving	2 FIX SHELVING Ref.
1035	972	47010.01
1209	1146	47030.01
1387	1324	47050.01

Mobile - Height 2292 mm


- Shelving on wheels
- 4 levels – depth 500 mm

Length outside mm	Length of the shelves of complete shelving	1 MOBILE SHELVING Ref.
1035	972	47015.01
1209	1146	47035.01
1387	1324	47055.01

► Other dimensions : consult us


EXAMPLE WITH 2 ROLLING ELEMENTS

► For this composition, order 1 x **47010.01** et 2 x **47015.01**



EXAMPLE WITH 7 ROLLING ELEMENTS

► For this composition, order 1 x **47010.01** et 7 x **47015.01**



100% stainless steel shelving

Linear shelving (CB)



Adjustable levels
Crushed folds on the shelves



CB514N4

- 100% AISI 304L stainless steel
- 2 ladders (framework) in 35 x 35 mm tubular steel on adjustable levers
- Supplied flat packed (fully collapsible)
- 4 solid adjustable shelves
- 2 adjustment levels for bottom shelf (200 mm or 460 mm available under shelf)

- Additional level as an optional extra
- Height: 1800 mm
- Maximum load per level: 100 kg. distributed


OPTION FOR CB LINEAR SHELVING ONLY

4 swivelling stainless steel wheels (Ø 125 mm), 2 with brake
With wheels : distributed load of 300 kg in total on the shelf
Height with wheels : 1930 mm

Ref.

/RX

Corner shelving range additional or linear (CBA)



CBA514N4

Composition:

- 1 ladder, framework in 35 x 35 mm tubular square, drilled at both sides, allowing to continue an existing linear or doing a L
- 4 full shelves adjustable in height
- (2x4) angle hooks to hang on an existing shelving



Examples of combinations
next page

WIDTH 500


Length mm	Number of levels	SHELVING RANGE		CORNER SHELVING RANGE		ADDITIONAL SHELF optional	
		Kg	Ref.	Kg	Ref.	Kg	Ref.
1000	4	40	CB510N4	33	CBA510N4	6.67	SECB510H
1200	4	46	CB512N4	39.6	CBA512N4	8	SECB512H
1400	4	52	CB514N4	46	CBA514N4	9.3	SECB514H
1500	4	55	CB515N4	49	CBA515N4	10	SECB515H
1600	4	58	CB516N4	52.8	CBA516N4	10.6	SECB516H
1800	4	64	CB518N4	59.4	CBA518N4	12	SECB518H
2000	4	70	CB520N4	66	CBA520N4	13.3	SECB520H

WIDTH 600

Length mm	Number of levels	Kg	Ref.	Kg	Ref.	Kg	Ref.
1200	4	50	CB612N4	45	CBA612N4	9.5	SECB612H
1400	4	57	CB614N4	51	CBA614N4	11	SECB614H
1500	4	60	CB615N4	54	CBA615N4	12	SECB615H
1600	4	63.5	CB616N4	57	CBA616N4	12.8	SECB616H
1800	4	70	CB618N4	63	CBA618N4	14.4	SECB618H
2000	4	76	CB620N4	69	CBA620N4	16	SECB620H

All stainless steel shelf, with welded square tubes

- Shelves in 30 x30 mm welded square tubes in stainless steel
- 1 tube as rear stop and 4 bars for a width of 600 mm
- 4 levels - Total height 1900 mm
- PVC jacks with non-exposed threads



WIDTH 600		
Length mm	Kg	Ref.
1000	34	CBB610N4
1200	39	CBB612N4
1400	43	CBB614N4
1500	45	CBB615N4
1600	47	CBB616N4
1800	52	CBB618N4
2000	56	CBB620N4

OPTION	Ref.
4 swivelling stainless steel wheels (Ø 125 mm), 2 with brake With wheels : distributed load of 300 kg in total on the shelf	/RX

EXAMPLES OF COMBINATIONS

Make your shelving at your wish !
 You are interested in another length, add the CB and CBA to obtain the wishing length.
 ex: For a length of 3600 mm x width 500 mm - take (1 x CB520N4) + (1 x CBA516N4)

