


TABLES

Tables with square welded bases - Tradition

In this tab, we would like to introduce the range of traditional tables with high robustness square welded bases.



SCAN ME
and download all the technical datasheets of the range!



Top and base in stainless steel
Highly rigid structure due to its upper frame
and top thickness

FOCUS ON...



Welded square legs

- 1 Top with 15/10 thickness, stiffened and sound insulated by a water-resistant melamine panel
- 2 With 600 or 700 mm
- 3 Adjustable working height: 885/910 mm (overall height: 985/1010 mm)
- 4 100 x 20 mm backsrest completely closed at the ends
- 5 Structure reinforced by welded stainless steel bracing
- 6 4 welded square legs 40x40 mm with brace and welded low crosspieces (6 legs for lengths beyond 2000 mm)
- 7 Equipped with leveling feet (25 mm)
- 8 Bottom shelf welded to the legs
- 9 Low traditional racks with 3 or 4 bars inclined at 45° angle with 25x25 mm section, welded on the crosspieces



Traditional Tables (square welded bases)

Central tables

Standard



CENTRAL TABLES

CENTRAL TABLES
+ BOTTOM SHELF

CENTRAL TABLES
+ LOW RACK WITH BARS*

WIDTH 600

Length mm	Legs	Kg	Ref.	Kg	Ref.	Kg	Ref.
1000	4	32.9	TFNC610	36.6	TFNCE610	36.6	TFNCEC610
1200	4	36.7	TFNC612	41.8	TFNCE612	41.8	TFNCEC612
1400	4	44.5	TFNC614	46.9	TFNCE614	46.9	TFNCEC614
1600	4	44.5	TFNC616	52	TFNCE616	52	TFNCEC616
1800	4	48.4	TFNC618	57.1	TFNCE618	57.1	TFNCEC618
2000	4	52.3	TFNC620	62.3	TFNCE620	62.3	TFNCEC620
2200	6	61.5	TFNC622	76.6	TFNCE622	76.6	TFNCEC622
2400	6	65.4	TFNC624	76.6	TFNCE624	76.6	TFNCEC624

WIDTH 700

1000	4	36	TFNC710	40.6	TFNCE710	40.6	TFNCEC710
1200	4	40.2	TFNC712	46.4	TFNCE712	46.4	TFNCEC712
1400	4	44.7	TFNC714	52.2	TFNCE714	52.2	TFNCEC714
1600	4	49.1	TFNC716	58.1	TFNCE716	58.1	TFNCEC716
1800	4	53.4	TFNC718	63.9	TFNCE718	63.9	TFNCEC718
2000	4	57.7	TFNC720	69.7	TFNCE720	69.7	TFNCEC720
2200	6	67.6	TFNC722	79.7	TFNCE722	79.7	TFNCEC722
2400	6	72	TFNC724	85.5	TFNCE724	85.5	TFNCEC724

* Table width 600 : 3 bars - Table width 700 : 4 bars

Tables with backslash

Standard



TABLES WITH BACKSLASH

TABLES WITH BACKSLASH
+ BOTTOM SHELF

TABLES WITH BACKSLASH
+ LOW RACK WITH BARS*

WIDTH 600

Length mm	Legs	Kg	Ref.	Kg	Ref.	Kg	Ref.
1000	4		TFND610	36.6	TFNDE610	36.6	TFNDEC610
1200	4		TFND612	41.8	TFNDE612	41.8	TFNDEC612
1400	4		TFND614	46.9	TFNDE614	46.9	TFNDEC614
1600	4		TFND616	52	TFNDE616	52	TFNDEC616
1800	4		TFND618	57.1	TFNDE618	57.1	TFNDEC618
2000	4		TFND620	62.3	TFNDE620	62.3	TFNDEC620
2200	6		TFND622	76.6	TFNDE622	76.6	TFNDEC622
2400	6		TFND624	76.6	TFNDE624	76.6	TFNDEC624

WIDTH 700

1000	4		TFND710	40.6	TFNDE710	40.6	TFNDEC710
1200	4		TFND712	46.4	TFNDE712	46.4	TFNDEC712
1400	4		TFND714	52.2	TFNDE714	52.2	TFNDEC714
1600	4		TFND716	58.1	TFNDE716	58.1	TFNDEC716
1800	4		TFND718	63.9	TFNDE718	63.9	TFNDEC718
2000	4		TFND720	69.7	TFNDE720	69.7	TFNDEC720
2200	6		TFND722	79.7	TFNDE722	79.7	TFNDEC722
2400	6		TFND724	85.5	TFNDE724	85.5	TFNDEC724

* Table width 600 : 3 bars - Table width 700 : 4 bars

➤ **CUSTOMIZED** / See Traditional tables page 53

OPTIONS
page 54



ACCESSORIES
page 60





Traditional Tables (square welded bases)

- Top and base stainless steel
- Width 600 or 700 mm
- Adjustable working height: 885/910 mm
- Top with 15/10 thickness, stiffened and sound insulated by a water-resistant melamine panel
- 100 x 20 mm backrest completely closed at the ends by welding
- Structure reinforced by welded stainless steel bracing
- 4 or 6 (depending on the length) stainless steel tube legs offset from the wall for pipe clearance
- Brace and welded low crosspieces
- Equipped with leveling feet
- Bottom shelf welded to the legs (depending on model)

Central tables

Customized



CENTRAL TABLES

CENTRAL TABLES
+ BOTTOM SHELF

WIDTH 600

Length mm	Legs	Ref.	Ref.
600 to 1000	4	TFNC6-10	TFNCE6-10
1001 to 1200	4	TFNC6-12	TFNCE6-12
1201 to 1400	4	TFNC6-14	TFNCE6-14
1401 to 1600	4	TFNC6-16	TFNCE6-16
1601 to 1800	4	TFNC6-18	TFNCE6-18
1801 to 2000	4	TFNC6-20	TFNCE6-20
2001 to 2200	6	TFNC6-22	TFNCE6-22
2201 to 2400	6	TFNC6-24	TFNCE6-24
2401 to 2600	6	TFNC6-26	TFNCE6-26
2601 to 2900	6	TFNC6-29	TFNCE6-29

Customized



CENTRAL TABLES

CENTRAL TABLES
+ BOTTOM SHELF

WIDTH 700

Length mm	Legs	Ref.	Ref.
600 to 1000	4	TFNC7-10	TFNCE7-10
1001 to 1200	4	TFNC7-12	TFNCE7-12
1201 to 1400	4	TFNC7-14	TFNCE7-14
1401 to 1600	4	TFNC7-16	TFNCE7-16
1601 to 1800	4	TFNC7-18	TFNCE7-18
1801 to 2000	4	TFNC7-20	TFNCE7-20
2001 to 2200	6	TFNC7-22	TFNCE7-22
2201 to 2400	6	TFNC7-24	TFNCE7-24
2401 to 2600	6	TFNC7-26	TFNCE7-26
2601 to 2900	6	TFNC7-29	TFNCE7-29

Tables with backslash

Customized



TABLES WITH
BACKSLASH

TABLES WITH
BACKSLASH
+ BOTTOM SHELF

WIDTH 600

Length mm	Legs	Ref.	Ref.
600 to 1000	4	TFND6-10	TFNDE6-10
1001 to 1200	4	TFND6-12	TFNDE6-12
1201 to 1400	4	TFND6-14	TFNDE6-14
1401 to 1600	4	TFND6-16	TFNDE6-16
1601 to 1800	4	TFND6-18	TFNDE6-18
1801 to 2000	4	TFND6-20	TFNDE6-20
2001 to 2200	6	TFND6-22	TFNDE6-22
2201 to 2400	6	TFND6-24	TFNDE6-24
2401 to 2600	6	TFND6-26	TFNDE6-26
2601 to 2900	6	TFND6-29	TFNDE6-29

Customized



TABLES WITH
BACKSLASH

TABLES WITH
BACKSLASH
+ BOTTOM SHELF

WIDTH 700

Length mm	Legs	Ref.	Ref.
600 to 1000	4	TFND7-10	TFNDE7-10
1001 to 1200	4	TFND7-12	TFNDE7-12
1201 to 1400	4	TFND7-14	TFNDE7-14
1401 to 1600	4	TFND7-16	TFNDE7-16
1601 to 1800	4	TFND7-18	TFNDE7-18
1801 to 2000	4	TFND7-20	TFNDE7-20
2001 to 2200	6	TFND7-22	TFNDE7-22
2201 to 2400	6	TFND7-24	TFNDE7-24
2401 to 2600	6	TFND7-26	TFNDE7-26
2601 to 2900	6	TFND7-29	TFNDE7-29

ACCESSORIES
page 60





Castors for standard and customized Tradition tables

Designation	EXTRA-COST on prices of tables with legs	Ref.
4 stainless steel castors Ø 100 mm (2 with brake) - Add RX to the end of the reference		.../RX
6 stainless steel castors Ø 100 mm (2 with brake) - Add RX to the end of the reference		.../RX
4 polyamid castors Ø 100 mm (2 with brake) - Add RP to the end of the reference		.../RP
6 polyamid castors Ø 100 mm (2 with brake) - Add RP to the end of the reference		.../RP



To be ordered simultaneously with the Tradition table

Drawers

- Telescopic drawer with stainless steel GN 1/1 x 100 mm tray


Designation	Table width	Ref.
Telescopic drawer with stainless steel GN 1/1 x 100 mm tray	600	TITFN6
Telescopic drawer with stainless steel GN 1/1 x 100 mm tray	700	TITFN7



GN1/1 storage or pastry trays 400 x600 with 5 levels

- Stainless steel frame with 5 levels of slides
- Specify the side of the slides (right or left)

Designation	Kg	Ref.
5-levels GN1/1 storage under the top (access within 325 mm) - Extra charge on the price of the table	3	TFNRG1
5-levels pastry trays storage under the top (access within 400 mm) - Extra charge on the price of the table	3	TFNR46



Telescopic drawer block with 3 GN1/1 drawers

- With stainless steel GN1/1 x 150 mm trays
- For Tradition table width 700 mm only

Designation	Kg	Ref.
Telescopic drawer block with 3 GN1/1 drawers and stainless steel GN1/1 x 150 mm trays	54,3	TITFN37






Traditional chef tables with sink (square welded bases)

- Stainless steel sheet tabletop with 15/10 thickness, featuring a welded sink measuring 400x400x250 mm + faucet hole
- White hydrophobic melamine panel doubling
- 100 x 20 mm backsrest completely closed at the ends by welding
- Structure reinforced by welded stainless steel bracing
- 4 stainless steel tube legs 40x40 mm offset from the wall for pipe clearance
- Equipped with leveling feet
- Adjustable working height: 880/905 mm
- Welded rear low crosspiece and spacers
- Supplied with stainless steel/plastic drain, stainless steel overflow tube, and PVC trap



Highly rigid structure due to its upper frame and top thickness



Table



SINK ON THE LEFT



SINK ON THE RIGHT



SINK ON THE LEFT



SINK ON THE RIGHT

WIDTH 600

L x W mm	Kg	Ref.	Ref.
700 x 600	23.7	TFNH607CG	-
1000 x 600	26.8	TFNH610CG	TFNH610CD
1200 x 600	30.4	TFNH612CG	TFNH612CD
1400 x 600	34	TFNH614CG	TFNH614CD
1600 x 600	37.6	TFNH616CG	TFNH616CD
1800 x 600	41.1	TFNH618CG	TFNH618CD
2000 x 600	44.7	TFNH620CG	TFNH620CD

WIDTH 700

L x W mm	Kg	Ref.	Ref.
700 x 700	23.7	TFNH707CG	-
1000 x 700	29.7	TFNH710CG	TFNH710CD
1200 x 700	33.7	TFNH712CG	TFNH712CD
1400 x 700	37.8	TFNH714CG	TFNH714CD
1600 x 700	41.8	TFNH716CG	TFNH716CD
1800 x 700	45.8	TFNH718CG	TFNH718CD
2000 x 700	49.9	TFNH720CG	TFNH720CD

Table + bottom shelf



SINK ON THE LEFT



SINK ON THE RIGHT



SINK ON THE LEFT



SINK ON THE RIGHT

WIDTH 600

L x W mm	Kg	Ref.	Ref.
700 x 600	27	TFNH607CGEG	-
1000 x 600	31.4	TFNH610CGEG	TFNH610CDEG
1200 x 600	36.2	TFNH612CGEG	TFNH612CDEG
1400 x 600	41	TFNH614CGEG	TFNH614CDEG
1600 x 600	45.9	TFNH616CGEG	TFNH616CDEG
1800 x 600	50.7	TFNH618CGEG	TFNH618CDEG
2000 x 600	55.5	TFNH620CGEG	TFNH620CDEG

WIDTH 700

L x W mm	Kg	Ref.	Ref.
700 x 700	27	TFNH707CGEG	-
1000 x 700	35.2	TFNH710CGEG	TFNH710CDEG
1200 x 700	40.7	TFNH712CGEG	TFNH712CDEG
1400 x 700	46.3	TFNH714CGEG	TFNH714CDEG
1600 x 700	51.8	TFNH716CGEG	TFNH716CDEG
1800 x 700	57.8	TFNH718CGEG	TFNH718CDEG
2000 x 700	62.8	TFNH720CGEG	TFNH720CDEG

ACCESSORIES
page 60





Cutting tables, polyethylene top

- Removable white polyethylene top, 25 mm thick
- Width: 700 mm without backsplash, 700 + 25 mm with backsplash
- Welded structure in stainless steel tube, section 40 x 40 mm
- High belt with corner braces to hold the top
- Working height: 895/920 mm
- Low rear crosspiece
- Adjustable leveling feet (25 mm)
- Removable stainless steel tool holder backsplash with knife slot, height 100 x 25 mm, closed at the ends



TPNC712



TPND712C

	CENTRAL		WITH BACKSPLASH + KNIFE-HOLDER BAND	
	WIDTH 700		WIDTH 700 + 25 MM	
Work top length mm	Kg	Ref.	Kg	Ref.
1000	30,4	TPNC710	35,2	TPND710C
1200	34,6	TPNC712	39,7	TPND712C
1400	38,8	TPNC714	43,3	TPND714C
1600	43,0	TPNC716	50,2	TPND716C
1900	49,2	TPNC719	55,2	TPND719C



Mixed cutting table (stainless steel / polyethylene)

- At the front, removable white polyethylene top, 25 mm thick, 400 mm wide
- At the rear, removable stainless steel top, thickness 15/10
- Welded structure in stainless steel tube, section 40 x 40 mm
- High belt with corner braces to hold the top
- Working height: 895/920 mm
- Low crosspiece at the back and lateral spacers
- Adjustable leveling feet (25 mm)
- Simple backsplash, height 100 mm, without folded edge



TMNC712

	CENTRAL		WITH BACKSPLASH + KNIFE-HOLDER BAND	
	WIDTH 700		WIDTH 700 + 25 MM	
Work top length mm	Kg	Ref.	Kg	Ref.
1200	30,3	TMNC712	33,5	TMND712C
1400	33,7	TMNC714	37,4	TMND714C
1900	42,4	TMNC719	47,2	TMND719C



Tables for opening vacuum bags

- Stainless steel top in 1,5 mm thickness with raised edges of 20 mm and drainage into stainless steel tray/ drawer
- Removable polyethylene board (1400 x 300 x 25 mm) at the front
- Removable drain grid (1400 x 400 x 20 mm) at the rear
- Welded stainless steel tube frame, section 40 x 40 mm, with low crosspiece at the back and lateral spacers
- Working height: 895/920 mm
- Adjustable leveling feet (25 mm)



Designation	L x D mm	Kg	Ref.
Mixed model stainless steel grid + poly plaque	1400 x 700	44.7	TDNSM714

Butcher block support




- Welded frame in brushed polished stainless steel tube, section 40 x 40 mm, with central low crosspiece and lateral spacers
- High belts with corner braces to hold the butcher block
- Wooden butcher block, thickness 100 mm
- Adjustable leveling feet – working height 895/920 mm



Designation	L x D x H mm	Kg	Ref.
Wooden butcher block	600 x 600 x 100	36	TPNB06



Accessories for standard and customized tables



Designation		Ref.	
Faucet to fix on sink			
Mixer spray-heads to fix on sink - Height 1200 mm			
Fixed to the table + wall fixing bracket - Stainless steel AISI 304L - Mixer with non-return valves according to European standard EN13959 - Safety spring - Flexible I. 1200 mm in AISI 304L stainless steel braid + EPDM standard, nd 12.5 - Flow rate in liters per minute for a pressure of 3/4 bars: 17 l/ min - Total height: 1200 mm - Ergonomic grips with turn valve head - HW/CW taps with high-quality ceramic head - Spray head in stainless steel interior according to European standards CE, ROHS and ACS			
Without drawing tap		PLADM	
With drawing tap with swivel telescopic spout		PLADMC	
Mixer spray-heads Mignon model - Height 700 mm			
Ideal to go under the wall cabinets			
Without drawing tap		PLADMGNON	
With drawing tap with swivel telescopic spout		PLADMCGNON	
1/4 turn tap : Single hole with swan's neck		PLARQT1	
Mixer tap : Single hole		PLAROBIML	
Wall faucet			
Wall mixer spray-heads			
Idem PLADMC except : wall fixation, height 950 mm			
Without drawing tap		PLADMM	
With drawing tap with swivel telescopic spout		PLADMMC	
Wall mixer taps			
Twin-hole - 1/4 turn - Wall fixation - Spout length 250 mm			
Swivel spout from below		PLARMQT2	
Swivel spout from above		PLARMQT3	
Chromed cover : For the tap hole		CT50	
U bends			
PVC		PLASIPHPL	
Chromed brass		PLASIPHLA	
Plug		PVC Brass*	
Perforated overflow pipe* : Makes catching waste easier and prevents the risk of the U bend getting blocked	H180 mm	POPTUB18	POPTUBPL18
	H230 mm	POPTUB23	POPTUBPL23
	H280 mm	POPTUB28	POPTUBPL28
	H350 mm	POPTUB35	POPTUBPL35
	H430 mm	POPTUB43	POPTUBPL43
Wall mounted detergent dispenser : Spring pump with automatic refill - Adjustable and secure dosage of 5 to 30 cc by pressure - Polypropylene body - Valves - ABS push button - Wall mounting and maintenance completely without tools		PLSAV	
Straight sink exhaust pipe without tap** : Tubular Ø 42,4 mm without valve - Non available on sink with integral bottom shelf			
Simple		PLAVISV*	
Double Y		PLAVIDSV*	
Straight sink exhaust pipe with tap(s)** : With 1/4 40 x 49 female turn(s) and AISI 304L stainless steel outlet pipe(s) (distance from floor about 80 mm depending on) - Non available on sink with integral bottom shelf			
Simple		PLAVI*	
Double Y		PLAVID*	